

The background of the entire page is a close-up photograph of pink fiberglass insulation batts installed in a wooden stud wall. The insulation is a vibrant pink color with a fibrous, textured appearance. It is held in place by light-colored wooden studs and joists, creating a grid pattern. The lighting is even, highlighting the texture of the insulation and the grain of the wood.

# **Pink<sup>®</sup> Batts<sup>®</sup>**

# **Thermal Solutions**

---

Product Guide

PRODUCT GLASS WOOL RANGE	Product Code	Size (mm)	Nominal Stabilised Thickness (mm)	Nominal Total Area Per Bale (m <sup>2</sup> )	Approx. Coverage Per Bale* (m <sup>2</sup> )	Environmental Choice	Environmental Product Declaration	BRANZ Appraisal Number
<b>ROOF – CEILING THERMAL INSULATION</b>								
R1.8 Pink® Batts® Classic	7110118	1220 x 432	95	13.7	14.4	✓	✓	238
R2.2 Pink® Batts® Classic	7110122	1220 x 432	115	12.6	13.3	✓	✓	238
R2.6 Pink® Batts® Classic	7110126	1220 x 432	140	10.5	11.1	✓	✓	238
R2.6 Pink® Batts® R2.6C 110mm†	7160266	1220 x 432	110	9.5	10	✓	✓	238
R3.0 Pink® Batts® R3.0C 160mm†	7160265	1220 x 432	160	8.4	8.9	✓	✓	238
R3.2 Pink® Batts® Classic	7110132	1220 x 432	170	8.4	8.8	✓	✓	238
R3.6 Pink® Batts® Classic	7110136	1220 x 432	180	7.4	7.7	✓	✓	238
R4.0 Pink® Batts® Ultra®	7110140	1220 x 432	195	6.3	6.6	✓	✓	238
R4.5 Pink® Superbatts®	7113145	1220 x 460	210	5.6	5.5	✓	✓	238
R5.0 Pink® Superbatts®	7113150	1220 x 460	225	4.5	4.4	✓	✓	238
R6.0 Pink® Superbatts®	7113160	1220 x 460	245	3.9	3.8	✓	✓	238
R7.0 Pink® Superbatts®	7113170	1220 x 460	275	3.4	3.3	✓	✓	238
<b>ROOF – SKILLION THERMAL INSULATION</b>								
R1.0 Pink® Superbatts®	7113210	1220 x 580	40 max	17	17.6	✓	✓	767
R3.2 Pink® Batts®	7110232	1220 x 432	115 max	3.7	3.9	✓	✓	767
R3.6 Pink® Batts®	7110236	1220 x 432	165 max	6.3	6.6	✓	✓	767
R4.5 Pink® Batts®	7110245	1220 x 432	165 max	3.2	3.3	✓	✓	767
R5.0 Pink® Superbatts®	7113250	1220 x 560	180 max	4.1	4.4	✓	✓	767
R6.0 Pink® Superbatts®	7113260	1220 x 560	230 max	4.1	4.4	✓	✓	767
R7.4 Pink® Superbatts®	7113274	1220 x 560	275 max	3.4	3.7	✓	✓	767

NOTE: The Pink® Superbatts® range is at least 25mm wider than standard Pink® Batts®.

† For use in a two-layer ceiling solution with a Pink® Superbatts®

\* Coverage relates to standard structures (ie with framing allowance) therefore actual coverage may vary.

\*\* Pink® Batts® HandyPack and Polyester products are not GREENGUARD certified, do not have a Lifetime Warranty. Products are not BRANZ appraised.

^ Product does not have Lifetime Warranty

PRODUCT GLASS WOOL RANGE	Product Code	Size (mm)	Nominal Stabilised Thickness (mm)	Nominal Total Area Per Bale (m <sup>2</sup> )	Approx. Coverage Per Bale* (m <sup>2</sup> )	Environmental Choice	Environmental Product Declaration	BRANZ Appraisal Number
<b>ROOF – BUILDING INSULATION BLANKET (BIB)</b>								
R1.2 Pink® Batts® BIB	7250501	24000 x 1200	50	28.8	N/A	✓	✓	238
R1.8 Pink® Batts® BIB	7270501	20000 x 1200	75	24	N/A	✓	✓	238
R2.4 Pink® Batts® BIB	7290501	16000 x 1200	95	19.2	N/A	✓	✓	238
R2.6 Pink® Batts® BIB	7200501	14000 x 1200	105	16.8	N/A	✓	✓	238
R3.2 Pink® Batts® BIB	7200502	12000 x 1200	125	14.4	N/A	✓	✓	238
R3.6 Pink® Batts® BIB	7200503	10000 x 1200	140	12	N/A	✓	✓	238
<b>ROOF – CEILING THERMAL RETROFIT INSULATION</b>								
R2.9 Pink® Batts®	7110129	1220 x 432	150	9.5	10	✓	✓	238
R3.3 Pink® Batts®	7110133	1220 x 432	175	8.4	8.8	✓	✓	238
<b>ROOF AND WALL - THERMAL</b>								
R2.4 Pink® Batts® HandyPack**	7200158	7000 x 580	90	4.1	N/A			x

\* Coverage relates to standard structures (ie with framing allowance) therefore actual coverage may vary.

\*\* Pink® Batts® HandyPack and Polyester products are not GREENGUARD certified, do not have a Lifetime Warranty. Products are not BRANZ appraised.

^ Product does not have Lifetime Warranty

PRODUCT GLASS WOOL RANGE	Product Code	Size (mm)	Nominal Stabilised Thickness (mm)	Nominal Total Area Per Bale (m <sup>2</sup> )	Approx. Coverage Per Bale* (m <sup>2</sup> )	Environmental Choice	Environmental Product Declaration	BRANZ Appraisal Number
<b>WALL – ACOUSTIC INSULATION</b>								
Pink® Batts® Silencer® 100mm <sup>^</sup>	7317001	1140 x 560	100	12.8	14.4	-	✓	x
Pink® Batts® Silencer® 75mm <sup>^</sup>	7317003	1140 x 560	75	16.6	18.8	-	✓	x
<b>WALL – THERMAL INSULATION</b>								
<b>MASONRY</b>								
R1.0 Pink® Batts®	7160110	1220 x 580	40	21.2	-	✓	✓	238
R1.2 Pink® Batts®	7160134	1220 x 580	50	17	-	✓	✓	238
<b>70mm WALL RANGE</b>								
R.2.2 Pink® Batts® Classic	7160248	1140 x 560	70	6.4	7.5	✓	✓	238
<b>90mm WALL RANGE</b>								
R1.8 Pink® Batts® Classic - Wall	7127118	1140 x 560	90	16.6	19.6	✓	✓	238
R2.2 Pink® Batts® Classic - Wall	7127122	1140 x 560	90	13.4	15.8	✓	✓	238
R2.2 Pink® Batts® Steel - Wall	7160214	1220 x 610	90	15.6	15.6	✓	✓	238
R2.2 Pink® Batts® - Narrow Wall	7160243	1140 x 360	90	9	11.2	✓	✓	238
R2.4 Pink® Batts® Classic - Wall	7127124	1140 x 560	90	10.2	12.1	✓	✓	238
R2.6 Pink® Batts® Ultra® - Wall	7127126	1140 x 560	90	9.6	11.3	✓	✓	238
R2.6 Pink® Batts® Ultra® Steel - Wall	7160215	1220 x 610	90	9.7	9.7	✓	✓	238
R2.6 Pink® Batts® Ultra® - Narrow Wall	7160244	1140 x 360	90	7.4	9.2	✓	✓	238
R2.8 Pink® Batts® Ultra® - Wall	7127128	1140 x 560	90	6.4	7.5	✓	✓	238
R2.8 Pink® Batts® Ultra® - Narrow Wall	7160247	1140 x 360	90	4.5	5.6	✓	✓	238

\* Coverage relates to standard structures (ie with framing allowance) therefore actual coverage may vary.

\*\* Pink® Batts® HandyPack and Polyester products are not GREENGUARD certified, do not have a Lifetime Warranty. Products are not BRANZ appraised.

<sup>^</sup> Product does not have Lifetime Warranty



PRODUCT GLASS WOOL RANGE	Product Code	Size (mm)	Nominal Stabilised Thickness (mm)	Nominal Total Area Per Bale (m <sup>2</sup> )	Approx. Coverage Per Bale* (m <sup>2</sup> )	Environmental Choice	Environmental Product Declaration	BRANZ Appraisal Number
<b>140mm WALL RANGE</b>								
<b>R3.2</b> Pink® Batts® Ultra® - Wall	7127132	1140 x 560	140	9.6	11.3	✓	✓	238
<b>R3.2</b> Pink® Batts® Ultra® - Narrow Wall	7160245	1140 x 360	140	7	8.6	✓	✓	238
<b>R3.6</b> Pink® Batts® Ultra® - Wall	7127136	1140 x 560	140	7	8.3	✓	✓	238
<b>R4.0</b> Pink® Batts® Ultra® - Wall	7127140	1140 x 560	140	5.1	6	✓	✓	238
<b>R4.0</b> Pink® Batts® Ultra® - Narrow Wall	7160246	1140 x 360	140	4.1	5	✓	✓	238
<b>R4.3</b> Pink® Batts® Ultra® - Wall	7127143	1140 x 560	140	3.2	3.8	✓	✓	238

\* Coverage relates to standard structures (ie with framing allowance) therefore actual coverage may vary.

\*\* Pink® Batts® HandyPack and Polyester products are not GREENGUARD certified, do not have a Lifetime Warranty. Products are not BRANZ appraised.

^ Product does not have Lifetime Warranty

PRODUCT GLASS WOOL RANGE	Product Code	Size (mm)	Nominal Stabilised Thickness (mm)	Nominal Total Area Per Bale (m <sup>2</sup> )	Approx. Coverage Per Bale* (m <sup>2</sup> )	Environmental Choice	Environmental Product Declaration	BRANZ Appraisal Number
<b>FLOOR – ACOUSTIC INSULATION</b>								
Pink® Batts® Silencer® Mid Floor^	7310051	1140 x 432	150	4.9	5.2			x
<b>FLOOR – THERMAL INSULATION</b>								
R2.6 Pink® Batts® SnugFloor® Narrow^	7131451	1220 x 480	110	8.8	8.2			632
R2.6 Pink® Batts® SnugFloor® Wide^	7131601	1220 x 580	110	10.6	10.6			632
R3.2 Pink® Batts® SnugFloor® Narrow^	7134832	1220 x 480	140	8.2	7.7			632
R3.2 Pink® Batts® SnugFloor® Wide^	7135832	1220 x 580	140	8.5	8.5			632
PRODUCT POLYESTER RANGE**	Product Code	Size (mm)	Nominal Stabilised Thickness (mm)	Nominal Total Area Per Bale (m <sup>2</sup> )	Approx. Coverage Per Bale (m <sup>2</sup> )			BRANZ Appraisal Number
<b>FLOOR – THERMAL INSULATION</b>								
R1.5 Pink® Batts® Polyester Underfloor	711897	11110 x 450	100	20	20.4	-	-	x
R1.5 Pink® Batts® Polyester Underfloor	711898	9804 x 510	100	20	20.4	-	-	x
R1.5 Pink® Batts® Polyester Underfloor	711899	11110 x 600	100	20	20.1	-	-	x

\* Coverage relates to standard structures (ie with framing allowance) therefore actual coverage may vary.

\*\* Pink® Batts® HandyPack and Polyester products are not GREENGUARD certified, do not have a Lifetime Warranty. Products are not BRANZ appraised.

^ Product does not have Lifetime Warranty

Unless indicated otherwise, all our products carry our Lifetime Warranty, are BRANZ appraised and have the Greenguard certification.

For full details of the Pink® Batts® Lifetime Warranty visit [pinkbatts.co.nz/lifetime-warranty](http://pinkbatts.co.nz/lifetime-warranty).

#### General

General terms and conditions of sale of Tasman Insulation t/a Comfortech Building Performance Solutions apply to these products.

All prices exclude GST.

This price list supersedes all previous price lists.

Comfortech Building Performance Solutions reserves the right to alter packing and prices at any time without notification.

#### Notes

Square metre pricings are estimated from bale prices and due to rounding may not be exact.





PREFERRED PINK® BATTS® INSTALLERS



Appraisal No. 238  
Appraisal No. 632  
Appraisal No. 767



Licence No 2504017.  
Thermal Building Insulants



ENVIRONMENTAL PRODUCT DECLARATION



PRODUCT CERTIFIED FOR  
LOW CHEMICAL EMISSIONS  
VOC/FORMALDEHYDE

Comfortech Building  
Performance Solutions  
Certified QMS



**pinkbatts.co.nz**

**0800 746 522**

The colour PINK and Pink® are registered trademarks of Owens Corning used under license by Tasman Insulation New Zealand Ltd trading as Comfortech Building Performance Solutions®. Batts® is the registered trade mark of Comfortech®. This document supersedes all previous versions and may have been superseded; is a guide only and the purchaser should ascertain the suitability of this product for the end-use situation intended and when used in conjunction with other products; and is provided without prejudice to Comfortech® standard terms of sale. Comfortech® retains the right to change specifications without prior notice. Refer to [www.pinkbatts.co.nz](http://www.pinkbatts.co.nz) or consult Comfortech® for further information. Do not use this product for any application not detailed in this document. All claims about this product are subject to any variation caused by normal manufacturing process and tolerances. The liability of Comfortech® and its employees and agents for any errors or omissions in this document or otherwise in relation to the product is limited to the fullest extent permitted by law. Except where the consumer acquires the goods for the purposes of a business, any rights a consumer may have under the Consumer Guarantees Act are not affected.

9-15 Holloway Place, Penrose, Auckland



BROUGHT TO YOU BY COMFORTECH®