

Residential Insulation Product Guide



PRODUCT GLASS WOOL RANGE	PRODUCT CODE	SIZE (mm)	NOMINAL STABILISED THICKNESS (mm)	NOMINAL TOTAL AREA PER BALE (m²)	APPROX. COVERAGE PER BALE* (m²)	ENMRONMENTAL CHOICE	ENVIRONMENTAL PRODUCT DECLARATION	BRANZ APPRAISAL NUMBER
ROOF - Thermal Insulation								
R1.8 Pink® Batts® Classic R1.8 Ceiling	7110118	1220 x 432	95	13.7	14.4	✓	~	238
R2.2 Pink® Batts® Classic R2.2 Ceiling	7110122	1220 x 432	115	12.6	13.3	✓	✓	238
R2.6 Pink® Batts® Classic R2.6 Ceiling	7110126	1220 x 432	140	10.5	11.1	✓	✓	238
R3.2 Pink® Batts® Classic R3.2 Ceiling‡	7110132	1220 x 432	170	8.4	8.8	✓	✓	238
R3.2 Pink® Batts® Skillion Roof R3.2	7110232	1220 x 432	115 max	3.7	3.9	✓	✓	767
R3.6 Pink® Batts® Classic R3.6 Ceiling‡	7110136	1220 x 432	180	7.4	7.7	✓	✓	238
R3.6 Pink® Batts® Skillion Roof R3.6	7110236	1220 x 432	165 max	6.3	6.6	✓	✓	767
R4.0 Pink® Batts® Ultra® R4.0 Ceiling	7110140	1220 x 432	195	6.3	6.6	✓	✓	238
R4.5 Pink® Batts® Skillion Roof R4.5	7110245	1220 x 432	165 max	3.2	3.3	✓	✓	767
R5.0 Pink® Batts® Ultra® R5.0 Ceiling	7110150	1220 x 432	220	4.2	4.4	✓	✓	238
R6.0 Pink® Batts® Ultra® R6.0 Ceiling	7110160	1220 x 432	235	3.7	3.9	✓	✓	238
R7.0 Pink® Batts® Ultra® R7.0 Ceiling	7110170	1220 x 432	260	2.6	2.8	✓	✓	238
ROOF-Building Insulation Blanket (E	BIB)							
R1.2 Pink® Batts® BIB R1.2 Roll	7250501	24m x 1.2	50	28.8	N/A	✓	✓	238
R1.8 Pink® Batts® BIB R1.8 Roll	7270501	20m x 1.2	75	24.0	N/A	✓	✓	238
R2.4 Pink® Batts® BIB R2.4 Roll	7290501	16m x 1.2	95	19.2	N/A	✓	✓	238
R2.6 Pink° Batts° BIB R2.6 Roll	7200501	14m x 1.2	105	16.8	N/A	✓	✓	238
R3.2 Pink® Batts® BIB R3.2 Roll	7200502	12m x 1.2	125	14.4	N/A	✓	✓	238
R3.6 Pink® Batts® BIB R3.6 Roll	7200503	10m x 1.2	140	12.0	N/A	✓	✓	238
ROOF - Thermal Retrofit Insulation								
R2.9 Pink® Batts® R2.9 Retrofit Ceiling	7110129	1220 x 432	150	9.5	10.0	✓	✓	238
R3.3 Pink® Batts® R3.3 Retrofit Ceiling	7110133	1220 x 432	175	8.4	8.8	✓	✓	238
WALL - Acoustic Insulation								
Pink [®] Batts [®] Silencer [®] 100mm [^]	7317001	1140 x 560	100	12.8	14.4	-	✓	Х
Pink [®] Batts [®] Silencer [®] 75mm [^]	7317003	1140 x 560	75	16.6	18.8	-	✓	х
WALL - Thermal Insulation								
Masonry								
R1.0 Pink® Batts® Masonry R1.0	7160110	1220 x 580	40	21.2	_	→	✓	238
R1.2 Pink° Batts° Masonry R1.2		1220 x 580	50	17.0	_	· •	· ·	238
70mm Wall Range	, , 50154			77.0		<u> </u>	<u> </u>	
R2.2 Pink® Batts® Classic R2.2 70mm Wall	7160248	1140 x 560	70	6.4	7.5	✓	✓	238

^{*} Coverage relates to standard structures (ie with framing allowance) therefore actual coverage may vary.

** Pink® Batts® Polyester products are not GREENGUARD certified, do not have a Lifetime Warranty. Products are not BRANZ appraised.

‡ This product is manufactured in both New Zealand and Australia. Environmental Choice New Zealand (ECNZ) applies to New Zealand made product only.

^ Product does not have Lifetime Warranty

P	RC	DU	JCT (GLASS'	WOOL	RANGE

NOMINAL NOMINAL STABILISED TOTAL AREA COVERAGE THICKNESS PER BALE PER BALE*

APPROX.

ENVIRONMENTAL ENVIRONMENTAL

BRANZ

I RODOCT CLASS WOOL RANGE	CODE	(mm)	(mm)	(m²)	(m²)		DECLARATION	NUMBER
WALL - Thermal Insulation								
90mm Wall Range								
R1.8 Pink [®] Batts [®] Classic R1.8 Wall	7127118	1140 x 56	0 90	16.6	19.6	✓	✓	238
R2.2 Pink® Batts® Classic R2.2 Wall	7127122	1140 x 56	0 90	13.4	15.8	✓	✓	238
R2.2 Pink® Batts® Steel R2.2 Wall	7160214	1220 x 61	0 90	15.6	15.6	~	✓	238
R2.2 Pink® Batts® R2.2 Narrow Wall	7160243	1140 x 36	0 90	9.0	11.2	✓	✓	238
R2.4 Pink® Batts® Classic R2.4 Wall	7127124	1140 x 56	0 90	10.2	12.1	✓	✓	238
R2.6 Pink [®] Batts [®] Ultra [®] R2.6 Wall	7127126	1140 x 56	0 90	9.6	11.3	✓	✓	238
R2.6 Pink [®] Batts [®] Ultra [®] Steel R2.6 Wall	7160215	1220 x 61	0 90	9.7	9.7	✓	✓	238
22.6 Pink [®] Batts [®] Ultra [®] R2.6 Narrow Wall	7160244	1140 x 36	0 90	7.4	9.2	✓	✓	238
22.8 Pink° Batts° Ultra° R2.8 Wall	7127128	1140 x 56	0 90	6.4	7.5	✓	✓	238
22.8 Pink [®] Batts [®] Ultra [®] R2.8 Narrow Wall	7160247	1140 x 36	0 90	4.5	5.6	✓	✓	238
140mm Wall Range								
3.2 Pink [®] Batts [®] Ultra [®] R3.2140mmWall	7127132	1140 x 56	0 140	9.6	11.3	✓	✓	238
3.2 Pink [®] Batts [®] Ultra [®] R3.2140mm Narrow Wall	7160245	1140 x 36	0 140	7.0	8.6	✓	✓	238
3.6 Pink [®] Batts [®] Ultra [®] R3.6140mmWall	7127136	1140 x 56	0 140	7.0	8.3	✓	✓	238
4.0 Pink [®] Batts [®] Ultra [®] R4.0140mmWall	7127140	1140 x 56	0 140	5.1	6.0	✓	✓	238
R4.0 Pink [®] Batts [®] Ultra [®] R4.0 140mm Narrow Wall	7160246	1140 x 36	0 140	4.1	5.0	✓	~	238
14.3 Pink [®] Batts [®] Ultra [®] R4.3140mmWall	7127143	1140 x 56	0 140	3.2	3.8	✓	✓	238
R4.3 Pink [®] Batts [®] Ultra [®] R4.3 140mm Narrow Wall	7160262	1140 x 36	0 140	2.9	3.5	~	✓	238
FLOOR - Acoustic Insulation								
Pink [®] Batts [®] Silencer [®] Midfloor [^]	7310051	1140 x 43	2 150	4.9	5.2	-	✓	х
FLOOR - Thermal Insulation								
2.6 Pink [®] Batts [®] SnugFloor [®] R2.6 Narrow [^]	7131451	1220 x 48	0 110	8.8	8.2	√	✓	632
2.6 Pink [®] Batts [®] SnugFloor [®] R2.6 Wide [^]	7131601	1220 x 58	0 110	10.6	10.6	~	~	632
PRODUCT POLYESTER RANGE**	F	PRODUCT CODE	SIZE (mm)	STAB THICK	/IINAL ILISED KNESS nm)	NOMINAL TOTAL AREA PER BALE (m²)	APPROX. COVERAGE PER BALE* (m²)	BRANZ APPRAISA NUMBER
FLOOR - Thermal Insulation								
R1.5 Pink® Batts® Polyester R1.5 Underfloor 450mm		711897	11110 x 450	1	00	20	20.4	х
k1.5 Pink® Batts® Polyester R1.5 Underfloor 510mm		711898	9804 x 510	1	00	20	20.4	x
1.5 Pink Batts Polyester R1.5 Underfloor 600mm		711899	11110 x 600	1	00	20	20.1	х







^{*} Coverage relates to standard structures (ie with framing allowance) therefore actual coverage may vary.
** Pink® Batts® Polyester products are not GREENGUARD certified, do not have a Lifetime Warranty. Products are not BRANZ appraised.

[†] This product is manufactured in both New Zealand and Australia. Environmental Choice New Zealand (ECNZ) applies to New Zealand made product only.

^ Product does not have Lifetime Warranty

Pink® Batts® glass wool insulation.

Choose products with proven performance. Always.

An established brand with an excellent reputation, Pink® Batts® glass wool insulation has been keeping New Zealand homes warm in winter and cooler in summer since 1961. With product solutions designed specifically for our building styles and weather conditions, you can install Pink® Batts® glass wool insulation with confidence.

BRANZ Appraised 238 [2018] 632 [2018] 767 [2018]

Do right by the environment. Always.

Pink® Batts® glass wool insulation is made from over 80% recycled glass sourced only from New Zealand, that might otherwise have ended up in landfills. The Pink® Batts® range has achieved Environmental Choice New Zealand accreditation.

The Environmental Product Declaration for the Pink® Batts® glasswool range: segments, blankets and boards, provides accurate and independently verified information of the environmental footprint, to help designers to make informed decisions when specifying insulation.





Get what you want, when you want it. Always.

You can buy Pink® Batts® insulation at most major building merchants and hardware stores around the country. No other insulation product can match this availability. Plus for a professional installation service call PinkFit®, the preferred Pink® Batts® installers on **0800 746 534.** They understand the principles of thermal insulation and sound control, so you can be confident the insulation will work properly.



Use products that offer complete safety. Always.

Pink® Batts® glass wool insulation is completely safe to install and use. Considerable international research confirms that any slight irritation to exposed skin caused by the fibres in glass wool, or through their inhalation, is harmless and temporary. Plus Pink® Batts® glass wool insulation is independently certified to meet the strict international chemical emission limits of GREENGUARD Indoor Air Quality standards to help create healthier indoor air environments.





Select the right product for the right job. Always.

With Pink® Batts® thermal insulation for walls, ceilings and floors in a range of sizes, thicknesses and R-values, along with Pink® Batts® Silencer® wall and mid-floor acoustic insulation and Pink® Batts® Polyester, plus the Sisalation® range of building paper, foils and synthetic building wraps, there's the perfect solution for your building project. View our product guide at <code>pinkbatts.co.nz/product-range</code>

Use products backed by companies you know and trust. Always.

We work hard to ensure the quality of our products. That's why we're happy to offer a Lifetime Warranty on Pink® Batts® BRANZ appraised ceiling and wall segments and blanket products, so you can be confident they will meet or exceed current New Zealand Building Code requirements for the lifetime of a home.



Tasman Insulation New Zealand Ltd Certified QMS

Pegistered Quality ISO 9001

Here to help. Always.

If you have any questions about Pink® Batts® insulation visit **pinkbatts.co.nz** or call **0800 746 522.** We'll be happy to help.



The colour PINK and Pink® are registered trademarks of Owens Corning used under license by Tasman Insulation New Zealand Ltd (Tasman). Batts® is the registered trade mark of Tasman Insulation. This document supersedes all previous versions and may have been superseded; is a guide only and the purchaser should ascertain the suitability of this product for the end-use situation intended and when used in conjunction with other products; and is provided without prejudice to Tasman standard terms of sale. Tasman retains the right to change specifications without prior notice. Refer to www.pinkbatts.co.nz or consult Tasman for further information. Do not use this product for any application not detailed in this document. All claims about this product are subject to any variation caused by normal manufacturing process and tolerances. The liability of Tasman and its employees and agents for any errors or omissions in this document or otherwise in relation to the product is limited to the fullest extent permitted by law. Except where the consumer acquires the goods for the purposes of a business, any rights a consumer may have under the Consumer Gusznetos. Act are not affected.