

The background of the entire page is a close-up photograph of pink fiberglass insulation batts installed in a wooden stud wall. The insulation is a vibrant pink color with a fibrous, mottled texture. It is held in place by light-colored wooden studs and joists, which are visible as horizontal and vertical lines. The lighting is even, highlighting the texture of the insulation.

Pink[®] Batts[®]

Thermal Solutions

Product Guide



PRODUCT GLASS WOOL RANGE	Product Code	Size (mm)	Nominal Stabilised Thickness (mm)	Nominal Total Area Per Bale (m ²)	Approx. Coverage Per Bale* (m ²)	Pieces Per Bale	Eco Choice Aotearoa (Environmental Choice)	Environmental Product Declaration	BRANZ Appraisal Number
ROOF – THERMAL INSULATION									
432mm WIDTH RANGE									
R1.8 Pink® Batts® Ceiling	7110118	1220 x 432	95	13.7	14.4	26	✓	✓	238
R2.2 Pink® Batts® Ceiling	7110122	1220 x 432	115	12.6	13.3	24	✓	✓	238
R2.6 Pink® Batts® Ceiling	7110126	1220 x 432	140	10.5	11.1	20	✓	✓	238
R3.2 Pink® Batts® Ceiling	7110132	1220 x 432	170	8.4	8.8	16	✓	✓	238
R3.6 Pink® Batts® Ceiling	7110136	1220 x 432	180	7.4	7.7	14	✓	✓	238
R4.0 Pink® Batts® Ceiling	7110140	1220 x 432	195	6.3	6.6	12	✓	✓	238
460mm WIDTH RANGE									
R4.5 Pink® Superbatts® Ceiling	7113145	1220 x 460	210	5.6	5.5	10	✓	✓	238
R5.0 Pink® Superbatts® Ceiling	7113150	1220 x 460	225	4.5	4.4	8	✓	✓	238
R6.0 Pink® Superbatts® Ceiling	7113160	1220 x 460	245	3.9	3.8	7	✓	✓	238
R7.0 Pink® Superbatts® Ceiling	7114170	1220 x 460	275	3.9	3.8	7	✓	✓	238
ROOF – DOUBLE LAYER SOLUTION - FIRST LAYER THERMAL INSULATION									
R2.6 Pink® Batts® 110mm Ceiling	7160266	1220 x 432	110	9.5	10	18	✓	✓	238
R3.0 Pink® Batts® 160mm Ceiling	7160265	1220 x 432	160	8.4	8.9	16	✓	✓	238
ROOF – PERIMETER THERMAL INSULATION									
R2.7 Pink® Batts® Perimeter	7160274	1220 x 560	100	8.9	9.5	13	✓	✓	238
ROOF – SKILLION THERMAL INSULATION									
SKILLION 432mm WIDTH RANGE									
R3.2 Pink® Batts® Skillion Roof	7110232	1220 x 432	115	3.7	3.9	7	✓	✓	767
R3.6 Pink® Batts® Skillion Roof	7110236	1220 x 432	165	6.3	6.6	12	✓	✓	767
R4.5 Pink® Batts® Skillion Roof	7110245	1220 x 432	165	3.2	3.3	6	✓	✓	767
R5.0 Pink® Batts® Skillion Roof	7110250	1220 x 432	180	3.2	3.3	6	✓	✓	767
R6.0 Pink® Batts® Skillion Roof	7110260	1220 x 432	230	3.2	3.3	6	✓	✓	767
R7.4 Pink® Batts® Skillion Roof	7110274	1220 x 432	275	2.6	2.8	5	✓	✓	767

* Square metre coverage per bale are estimates and actual coverage may differ.

PRODUCT GLASS WOOL RANGE	Product Code	Size (mm)	Nominal Stabilised Thickness (mm)	Nominal Total Area Per Bale (m ²)	Approx. Coverage Per Bale* (m ²)	Pieces Per Bale	Eco Choice Aotearoa (Environmental Choice)	Environmental Product Declaration	BRANZ Appraisal Number
ROOF – SKILLION THERMAL INSULATION									
SKILLION 560mm WIDTH RANGE									
R5.0 Pink® Superbatts® Skillion Roof	7113250	1220 x 560	180	4.1	4.4	6	✓	✓	767
R6.0 Pink® Superbatts® Skillion Roof	7113260	1220 x 560	230	4.1	4.4	6	✓	✓	767
R7.4 Pink® Superbatts® Skillion Roof	7113274	1220 x 560	275	3.4	3.7	5	✓	✓	767
SKILLION 580mm WIDTH RANGE - SECONDARY INSULATION LAYER SOLUTION									
R1.0 Pink® Superbatts® Skillion Roof	7113210	1220 x 580	40	17.0	17.6	24	✓	✓	767
ROOF – BUILDING INSULATION BLANKET (BIB)									
R1.2 Pink® Batts® BIB Blanket	7250502	14000 x 1200	50	16.8	N/A	1	✓	✓	238
R1.8 Pink® Batts® BIB Blanket	7270502	11000 x 1200	75	13.2	N/A	1	✓	✓	238
R2.4 Pink® Batts® BIB Blanket	7290502	9000 x 1200	95	10.8	N/A	1	✓	✓	238
R2.6 Pink® Batts® BIB Blanket	7200504	8000 x 1200	105	9.6	N/A	1	✓	✓	238
R3.2 Pink® Batts® BIB Blanket	7200505	6000 x 1200	125	7.2	N/A	1	✓	✓	238
R3.6 Pink® Batts® BIB Blanket	7200506	5000 x 1200	140	6.0	N/A	1	✓	✓	238
WALL – ACOUSTIC INSULATION									
Pink® Batts® Silencer® 100mm	7317001	1140 x 560	100	12.8	14.9	20	-	✓	x
Pink® Batts® Silencer® 75mm	7317003	1140 x 560	75	16.6	19.5	26	-	✓	x
WALL – THERMAL INSULATION									
INTERIOR SECONDARY INSULATION LAYER - 530mm WIDTH									
R1.0 Pink® Batts® Ultra® Interior Wall	7160271	1220 x 530	35	16.8	18.9	26	✓	✓	238
R1.3 Pink® Batts® Ultra® Interior Wall	7160272	1220 x 530	45	12.9	14.5	20	✓	✓	238
MASONRY WALL - 580mm WIDTH									
R1.0 Pink® Batts® Masonry Wall	7160110	1220 x 580	40	21.2	-	30	✓	✓	238
R1.2 Pink® Batts® Masonry Wall	7160134	1220 x 580	50	17.0	-	24	✓	✓	238
70mm WALL RANGE - 560mm WIDTH									
R2.2 Pink® Batts® 70mm Wall	7160248	1140 x 560	70	6.4	7.5	10	✓	✓	238

* Square metre coverage per bale are estimates and actual coverage may differ.

PRODUCT GLASS WOOL RANGE	Product Code	Size (mm)	Nominal Stabilised Thickness (mm)	Nominal Total Area Per Bale (m ²)	Approx. Coverage Per Bale* (m ²)	Pieces Per Bale	Eco Choice Aotearoa (Environmental Choice)	Environmental Product Declaration	BRANZ Appraisal Number
STEEL WALL - 610mm WIDTH									
R2.2 Pink® Batts® Steel Wall	7160214	1220 x 610	90	15.6	15.6	21	✓	✓	238
R2.6 Pink® Batts® Ultra® Steel Wall	7160215	1220 x 610	90	9.7	9.7	13	✓	✓	238
R2.8 Pink® Batts® Ultra® Steel Wall	7160267	1220 x 610	90	6.7	6.7	9	✓	✓	238
90mm WALL RANGE - STANDARD 560mm WIDTH									
R1.8 Pink® Batts® Wall	7127118	1140 x 560	90	16.6	19.6	26	✓	✓	238
R2.2 Pink® Batts® Wall	7127122	1140 x 560	90	13.4	15.8	21	✓	✓	238
R2.4 Pink® Batts® Wall	7127124	1140 x 560	90	10.2	12.1	16	✓	✓	238
R2.6 Pink® Batts® Ultra® Wall	7127126	1140 x 560	90	9.6	11.3	15	✓	✓	238
R2.6 Pink® Batts® Ultra® Wall (OC)	718226	1140 x 560	90	9.6	11.3	15			238
R2.8 Pink® Batts® Ultra® Wall	7127128	1140 x 560	90	6.4	7.5	10	✓	✓	238
R2.8 Pink® Batts® Ultra® Wall (OC)	718228	1140 x 560	90	6.4	7.5	10			238
90mm WALL RANGE - NARROW WALL 360mm WIDTH									
R2.2 Pink® Batts® Narrow Wall	7160243	1140 x 360	90	9.0	11.2	22	✓	✓	238
R2.6 Pink® Batts® Ultra® Narrow Wall	7160244	1140 x 360	90	7.4	9.2	18	✓	✓	238
R2.8 Pink® Batts® Ultra® Narrow Wall	7160247	1140 x 360	90	4.5	5.6	11	✓	✓	238
140mm WALL RANGE - STANDARD 560mm WIDTH									
R3.2 Pink® Batts® Ultra® 140mm Wall	7127132	1140 x 560	140	9.6	11.3	15	✓	✓	238
R3.6 Pink® Batts® Ultra® 140mm Wall	7127136	1140 x 560	140	7.0	8.3	11	✓	✓	238
R4.0 Pink® Batts® Ultra® 140mm Wall	7127140	1140 x 560	140	5.1	6	8	✓	✓	238
R4.3 Pink® Batts® Ultra® 140mm Wall	7127143	1140 x 560	140	3.2	3.8	5	✓	✓	238
140mm WALL RANGE - NARROW WALL 360mm WIDTH									
R3.2 Pink® Batts® Ultra® 140mm Narrow Wall	7160245	1140 x 360	140	7.0	8.6	17	✓	✓	238
R3.6 Pink® Batts® Ultra® 140mm Narrow Wall	7160273	1140 x 360	140	5.7	7.1	14	✓	✓	238
R4.0 Pink® Batts® Ultra® 140mm Narrow Wall	7160246	1140 x 360	140	4.1	5	10	✓	✓	238
R4.3 Pink® Batts® Ultra® 140mm Narrow Wall	7160262	1140 x 360	140	2.9	3.6	7	✓	✓	238

* Square metre coverage per bale are estimates and actual coverage may differ.



PRODUCT GLASS WOOL RANGE	Product Code	Size (mm)	Nominal Stabilised Thickness (mm)	Nominal Total Area Per Bale (m ²)	Approx. Coverage Per Bale* (m ²)	Pieces Per Bale	Eco Choice Aotearoa (Environmental Choice)	Environmental Product Declaration	BRANZ Appraisal Number
FLOOR – ACOUSTIC INSULATION									
Pink® Batts® Silencer® Mid Floor	7310051	1140 x 432	150	4.9	5.2	10			x
FLOOR – THERMAL INSULATION									
R2.6 Pink® Batts® SnugFloor® Narrow	7131451	1220 x 480	110	8.8	8.2	15			632
R2.6 Pink® Batts® SnugFloor® Wide	7131601	1220 x 580	110	10.6	10.6	15			632
R3.2 Pink® Batts® SnugFloor® Narrow	7134832	1220 x 480	140	8.2	7.7	14			632
R3.2 Pink® Batts® SnugFloor® Wide	7135832	1220 x 580	140	8.5	8.5	12			632

* Square metre coverage per bale are estimates and actual coverage may differ.







pinkbatts.co.nz

0800 746 522

The colour PINK and Pink® are registered trademarks of Owens Corning used under license by Tasman Insulation New Zealand Ltd trading as Comfortech Building Performance Solutions®. Batts®, Superbatts®, SnugFloor and Ultra® are registered trademarks of Comfortech®. This document supersedes all previous versions and may have been superseded; is a guide only and the purchaser should ascertain the suitability of this product for the end-use situation intended and when used in conjunction with other products; and is provided without prejudice to Comfortech® standard terms of sale. Comfortech® retains the right to change specifications without prior notice. Refer to www.pinkbatts.co.nz or consult Comfortech® for further information. Do not use this product for any application not detailed in this document. All claims about this product are subject to any variation caused by normal manufacturing process and tolerances. The liability of Comfortech® and its employees and agents for any errors or omissions in this document or otherwise in relation to the product is limited to the fullest extent permitted by law. Except where the consumer acquires the goods for the purposes of a business, any rights a consumer may have under the Consumer Guarantees Act are not affected.

9-15 Holloway Place, Penrose, Auckland
March 2026

